



Rich Homes, Richer Lifestyle





## live indulgently

- 20947 sq. meters (5.25 acres) three side open plot situated at most scorching location in the first township of Greater Noida
- Easy access from NH-24 Ghaziabad, Noida and Greater Noida
  - On Noida Greater Noida link Road and next to Sector 121
     Noida
- Just 7 kilometers from City Center Metro Station & Sector 32,
  Noida
- Located closed to prestigious schools & institutions for higher Studies
  - · Only 11 kilometers away from Kalindi Kunj
  - Proposed Metro Station will be at less than a kilometer distance
  - 75% (approx.) open/green eco-friendly environment with plantation
    - Earthquake resistant structure









- Well lit & ventilated 2, 3 & 4 BHK apartments
- · Spacious balconies
- All apartments having 8'-0" door height for royal impression
- Two High speed elevators of Otis brand in each Tower for four flats
- 24\*7 Security with CCTV camera
- Intercom Facility for Security and internal communication
- Car Parking in 2 basement
- Fire Fighting System
- Water softening plant for general supply of water
- · Rainwater Harvesting
- Plumbing with CPVC pipes to avoid corrosion





## specifications

#### LIVING/ DINING

INTERNAL WALL Block work, Brickwork, plastered, POP punning, Plastic Emulsion paint (Make: ICI dulux/Asian/Berger or Equivalent)

CEILING Plastic emulsion paint (Make: ICI dulux / Asian / Berger or Equivalent)

FLOOR 800\*800 mm vitrified tiles (± 5% variation in tile size)

MAIN DOOR Door Masonary Opening: 1050mm (w) x 2400 mm (h). Doorframe - Meranti Wood. Doorframe size: 140 mm x 60/58 mm section. Doorframe ht.:

2400 mm. Flush Door size - 950 mm x 2350 mm and 35 mm thick both side. Laminated Accessories-10" Stainless steel Mortice Lock and 8" tower bolt

EXTERNAL BALCONY DOOR "UPVC door frame size: 55mm x 55mm. Door ht.: 2400 mm. UPVC Two track Sliding Doors with 5 mm thick plain glass, both side sliding."

EXTERNAL FINISH Texture paint (Make: ICI dulux / Asian / Berger or Equivalent)

#### **KITCHEN**

SINK SIZE OF SINK : 685.5MM X 508 MM(± 5%variation in size)

Make: Lotus or equivalent, Single Bowl Stainless steel Sink

R.O. RO water purifier. (whirlpool, livpure, kent or equivalent 7.5 to 8 litre)

INTERNAL WALL Block work/ Brickwork, plastered, POP punning, Plastic emulsion paint, Cermaic tiles up to 2ft. hight above working platform

CEILING Plastic emulsion paint

FLOOR 800\*800 mm vitrified tiles (± 5% variation in tile size)

Working platform: granite top (R Black)

EXTERNAL UTILITY BALCONY UPVC door frame size: 55mm x 55mm . UPVC Casement Door: (850mm x 2400mm) (including 300mm high provision for ventilator)

DOOR

EXTERNAL FINISH Texture paint ( Make : ICI dulux / Asian / Berger or Equivalent )

MODULAR CABINET Plyboard with laminate fitted with standard fittings." hettich hinges " or equivalent.

#### **MASTER BED ROOM**

INTERNAL WALL Blockwork/ Brickwork, plastered, POP punning, Plastic emulsion paint (Make: ICI dulux / Asian / Berger or Equivalent)

CEILING Plastic emulsion paint (Make: ICI dulux/Asian/Berger or Equivalent)
FLOOR 600\*600 mm vitrified/Porclin tiles (± 5% variation in tile size)

DOOR Door Masonary Opening :900mm ( w ) x 2400 mm ( h ). Doorframe - Meranti Wood. Doorframe size : 115 mm x 60 mm section. Doorframe ht. : 2400

mm. Flush Door size - 800 mm x 2350 mm and 32 mm thick both side. Laminated Accessories-8"Mortice Lock UPVC door frame size: 55mm x 55mm. UPVC Two track Sliding Doors with 5 mm thick plain glass, sliding both sides.

#### **BED ROOM**

**EXTERNAL BALCONY DOOR** 

INTERNAL WALL Blockwork/ Brickwork, plastered, POP punning, Plastic emulsion paint (Make: ICI dulux/Asian/Berger or Equivalent)

CEILING Plastic emulsion paint ( Make : ICI dulux / Asian / Berger or Equivalent )
FLOOR 600\*600 mm vitrified/Porcelain tiles (±5%variation in tile size)

DOOR Door Masonary Opening :900mm ( w ) x 2400 mm ( h ). Doorframe - Meranti Wood. Doorframe size : 115 mm x 60 mm section. Doorframe ht. : 2400

mm. Flush Door size - 800 mm x 2350 mm and 32 mm thick both side. Laminated Accessories -8"Mortice Lock UPVC door frame size: 55 mm x 55 mm. UPVC Two track Sliding Doors with 5 mm thick plain glass, sliding both sides.

#### **WASH ROOM**

EXTERNAL BALCONY DOOR

INTERNAL WALL Wall tiles (300\*450) upto 2400 mm.
CEILING Gypsum Grid False ceiling @ 2400 mm. ht.

FLOOR Antiskid Ceramic Tiles (300\*300) (±5% variation in tile size)

DOOR Door Masonary Opening :750mm ( w ) x 2400 mm ( h ). Doorframe - Meranti Wood. Doorframe size : 115 mm x 60 mm section. Doorframe ht. : 2400

 $mm. Flush \, Door \, size - \, 650 \, mm \, x \, 2350 \, mm \, and \, 32 \, mm \, thick. \, Laminated \, one \, side \, and \, internal \, side \, finish \, with \, enamel \, paint \, Accessories \, -Tower \, bolt \, 150 \, mm \, and \, 32 \, mm \, thick. \, Laminated \, one \, side \, and \, internal \, side \, finish \, with \, enamel \, paint \, Accessories \, -Tower \, bolt \, 150 \, mm \, and \, 32 \, mm \, thick.$ 

mm handle with latch

 $VENTILATOR \\ Masonary opening: -400 mm x750 mm. Ventilator: UPVC 300 mm openable with 5 mm thick plain glass \& 300 mm for provision of exhaust.$ 

FITTINGS CP Fittings : Jaquar or Equivalent • China ware : Varmora or equivalent • wall mixture : in one wash room • wash basin : Granite counter in one wash

room • EWC (European water closet ) : all wash room • Stainless steel floor jali

#### **WOOD WORK**

Ply board / MDF 18 mm sunmica cupboards in bedroom.

 ${\sf Accessories: Hinges\, hettich\, or\, Equivalent}$ 

 $305\,mm$  high Handle , Telescope channel  $457.20\,mm$ 

#### **BALCONY**

WALL Ms Railing 1150 mm high with enamel paint.

CEILING Weather coat Paint

FLOOR 300mm\*300mm ceramic tiles (±5% variation in tile size)
EXTERNAL BALCONY DOOR UPVC Two track Sliding Doors with 5 mm thick plain glass, sliding both sides.

EXPOSED PLUMBING PIPES Texture paint (Make:ICI dulux/Asian/Berger or Equivalent)

EXTERNAL FINISH Texture paint (Make:ICI dulux/Asian/Berger or Equivalent )

EXTERNAL FINISH

Texture paint (Make:ICI dulux/Asian/Berger or Equivalent )

FLOOR JALI Pvc/C.I. jali

#### **OTHERS**

ELECTRICAL FITTINGS Modular Switches and socket: Philips or equivalent

MCB: standard (manufactured by Havells) or Equivalent

ELECTRICAL WIRE Copper wire ISI mark

FIRE FIGHTING Sprinkler, Smoke/heat detector in each flat Make: Newage, Hd, Tycon or Equivalent.

#### **HEIGHT**

FINISHED FLOOR LEVEL TO FINISHED FLOOR LEVEL 3150 mm (10'-4")

#### Notes:

- The colour and design of the tiles can be changed without any prior notice
- Variation in the colour and size of vitrified tiles/granite may occur.
- Colour variation in mica may occur.





Rich Homes, Richer Lifestyle

## Legends

- A. Entry / Exit
- B. Driveway
- C. Active Sport Lawn Karate
- D. Entry Plaza
- E. Pavillion
- F. Zen Garden
- G. Yoga Lawn
- H. Kids Play Area
- I. Pathway & Jogging Track
- J. Swimming Pool
- K. Pool Deck
- L. Shopping Plaza
- M. Multipurpose Court
- N. Commercial
- O. Club House
- P. Guard Room
- Q. Amphitheatre
- R. RAMP
- S. Pergola
- T. Badminton Court

# **Unit Types**

- Type SZ-2A
- Type SZ-2
- Type SZ-3
- Type SZ-3B
- Type SZ-3A
- Type SZ-4
- Type SZ-4A

1 sq. meter = 10.764 sq. feet. All images, floor plans, layout, designs, dimensions and specifications are indicative and subject to change to suit the specific requirements as may be prescribed by the company, architect or by any competent authority. These are purely conceptual and constitute no legal offerings.



# Type SZ-2A 2BHK + 2 Toilet

	SQM	SQ.FT
RERA Carpet area of unit	60	646
Area of balcony	7.46	80.30
Area of utility balcony	2.74	29.49



# Type SZ-2 2BHK + 2 Toilet

	SQIVI	SQ.FI
RERA Carpet area of unit	70.43	758
Area of balcony	8.98	96.66
Area of utility balcony	5.94	63.94

Type SZ-3



Type SZ-3 3BHK + 2 Toilet


RERA Carpet area of unit 80.84 870
Area of balcony 8.78 94.51
Area of utility balcony 5.94 63.94



Type SZ-3A 3BHK + 3 Toilet

SQM SQ.FT
RERA Carpet area of unit 97.41 1049
Area of balcony 16.44 176.96
Area of utility balcony 9.24 99.46







# Saya Buildcon Consortium Pvt. Ltd.

Call: +91 9899 508508

www.sayahomes.com

Site Office: GC-6/II, Gaur City, Plot No. GH-01, Sec-4, Greater Noida, Distt. Gautam Budh Nagar (U.P.) Communication Address: Plot 10/1, at Plot No. 10, Vaibhav Khand, Indirapuram, Ghaziabad (U. P.), India • Ph.: 0120-4656200

RERA Registration No. UPRERAPRJ869 RERA web link : www.up-rera.in

Regd. Office: B-7/45, Safdarjung Enclave Extension, New Delhi - 110029 • CIN No.: U701090L2010PTC211497 E. Mail: info@sayahomes.in

RESIDENTIAL | COMMERCIAL | RETAIL

Map not to scale